



IBOC TEAM SX

- Mongoose Spectrowrap 100% carbon frame with alloy forged lugs
- Mongoose AMPLIFIER SL suspension fork
- Shimano Deore XT group featuring Hyperdrive-C gearing
- Shimano Deore XT SPD clipless pedals
- Shimano Deore XT "suspension-specific" front hub
- Panaracer Made in Japan Smoke and Dart "Hard Core" Kevlar tires
- Mavic #217 High performance doublewall rims
- IBOC competition alloy stem, handlebars and bar ends
- Selle San Marco "Integra" invisible rail saddle
- Available Color: Gloss Black



We've outfitted the IBOC Team SX with Grip Shift's top-of-the-line SRAM SRT 800i shifters. Race-tested on the professional circuit, these lightweight shifters are operated with a simple movement of your wrist and feature "short throw" action. Combined with Shimano's Deore XT front and rear derailleurs, this is an absolutely superior shifting system.






BONDED FRAME CONSTRUCTION PROCESS

At Mongoose, we've gone beyond the confines of traditional methods to create superior bonded carbon fiber and aluminum frames.


Our patented bonding process results in incredibly lightweight, unbelievably strong, perfectly-aligned frames. How much confidence do we have in them? They're guaranteed for life against defects in materials and workmanship.



IBOC PRO SX

- Mongoose Spectrowrap 100% carbon frame with alloy forged lugs
- Rock Shox Judy adjustable cartridge system front suspension fork
- IBOC competition alloy stem, handlebars and bar ends
- New Shimano Deore XT/LX group with 24 speed Hyperdrive-C gearing
- New Shimano Deore LX Rapid Fire Plus shifting
- Onza super light clipless pedals
- Mavic #237 competition doublewall rims
- Selle San Marco "Integra" invisible rail saddle
- Available Color: Forest Green with Natural Carbon






The IBOC Pro SX and IBOC Team SX both have 100% carbon fiber bonded frames made with "Spectrowrap" construction. These frames feature superb craftsmanship and are lightweight (just over 3 lbs.) and extremely strong. While the geometry is race-oriented and aggressive, Spectrowrap frames are also very comfortable. The result is quick handling bikes that can be ridden confidently over a wide variety of terrain.

IBOC PRO

- Mongoose suspension ready "Carbium" composite carbon main frame/aluminum looped rear triangle with alloy forged lugs
- IBOC Cr-Mo triple butted super light fork
- New Shimano Deore XT/LX group with 24 speed Hyperdrive-C gearing
- New Shimano Deore LX Rapid-Fire Plus shifting
- Mavic # 237 competition doublewall rims
- Panaracer Smoke and Dart "Hard Core" tires
- IBOC competition alloy stem, handlebars and bar ends
- Selle San Marco "slim" competition saddle
- Available Color: Platinum with Natural Carbon





We've chosen Onza clipless pedals for the IBOC Pro and Pro SX. Featuring a revolutionary new design, Onza pedals weigh in at a feathery 350 grams, and are quickly becoming the choice of professional racers. Utilizing an elastomer spring system, these pedals are good looking, exceptionally simple to use, and easy to service. The design allows for 6 or 10 degrees of float.



IBOC COMP SX

- Mongoose 7005 double butted Aluminum, bonded competition frame with looped rear triangle and alloy lugs
- Shimano STX (RC) Hyperdrive-C gearing
- Shimano LX Hubs, derailleurs and shifters with "Optical Indicators"
- Mavic #236 double wall 32 hole alloy wheels
- IBOC competition alloy stem, handlebar and bar ends
- IBOC alloy pedals with nylon clips and straps
- IBOC Flight racing saddle with micro positioning scale
- Available Color: Bright Blue



The Manitou Comp elastomer fork is fully adjustable and provides the Comp SX with superior suspension.



IBOC COMP

- Mongoose 7005 double butted Aluminum, bonded competition frame with looped rear triangle and alloy lugs
- IBOC Cr-Mo triple butted super light fork
- Shimano STX (RC) 21 speed IG gearing
- Shimano LX derailleurs and shifters with "Optical Indicators"
- Mavic #236 double wall 32 hole alloy wheels
- New Panaracer Made in Japan Smoke and Dart "Hard Core" tires
- IBOC competition alloy stem, handlebars and bar ends
- IBOC alloy pedals with nylon clips and straps
- Available Color: Midnight Blue

Our alloy bonded, double butted frame is unbelievably strong, and features smooth, clean joints.



IBOC ZERO-G SX

- Mongoose super light Tange MTB 100% Double Butted Cr-Mo frame
- YST threadless headset system with IBOC Cr-Mo Stem
- Shimano Deore LX hubs and derailleurs with 24 speed Hyperglide gearing
- Grip Shift™ SRT-600i shifting system
- Sugino Impel 350 Super Shift crankset
- Araya TM-18 double wall 32 hole alloy rims
- New Panaracer Smoke and Dart "Hard Core" tires
- IBOC alloy pedals with nylon clips and straps
- Available Color: Matte Royal Blue

The Rock Shox Quadra 21 has elastomer bumpers and adjustable preload. It's the #1 selling suspension fork in the world.





IBOC ZERO-G

- Mongoose super light Tange MTB 100% Double Butted Cr-Mo frame
- IBOC Cr-Mo triple butted super light fork
- YST threadless headset system with IBOC Cr-Mo stem
- Shimano Deore LX hubs and derailleurs
- Sugino Impel 350 Super Shift crankset
- Araya TM-18 double wall 32 hole alloy rims
- IBOC alloy pedals with nylon clips and straps
- IBOC competition saddle with micro positioning scale
- Available Color: Matte Metallic Silver

Shimano's new 8 speed Deore LX Rapid Fire Plus shifters are crisp and precise, and feature optical indicators.



AMPLIFIER II

- Mongoose alloy welded full suspension frame
- Rock Shox Quadra 21 elastomer suspension fork
- Shimano Deore LX hubs and derailleurs with 24 speed Hyperglide gearing
- Grip Shift™ SRT-600i shifting system with smooth glide cables
- Sugino Impel 350 Super Shift crankset
- Araya TM-18 double wall 32 hole alloy rims
- New Panaracer Smoke and Dart "Hard Core" tires
- IBOC competition saddle with micro positioning scale
- Available Color: Polished Alloy

The AMP link rear end features square seat and chain stays that provide improved ride performance.



IBOC TEAM FRAMES, TEAM CLOTHING AND ACCESSORIES



Mongoose Team Lytra Gloves

Mongoose Team Socks

Mongoose Team Helmet

IBOC Cap

IBOC Sweat Shirt

IBOC Work Apron

IBOC Polo Shirt

Mongoose Team Shorts

Mongoose Team Jersey

Mongoose Team Windbreaker

MONGOOSE AMPLIFIER II
6061 alloy frame weighs 4 lbs. 12 oz.

MONGOOSE IBOC TEAM SX
100% carbon fiber frame weighs 3 lbs. 1 oz.


MONGOOSE IBOC PROFESSIONAL
100% Monocoque carbon fiber frame weighs 3 lbs. 3 oz.

MONGOOSE AMPLIFIER
6061 alloy frame weighs 4 lbs. 9 oz.

ROCKADILE SX

- Mongoose suspension specific TIG welded 7005 alloy frame
- Rock Shox Quadra 5 elastomer suspension fork
- YST threadless headset system with Cr-Mo stem
- Mongoose super light 180 gram alloy handlebars
- Shimano STX (RC) derailleurs with 21 speed IG shifting
- Shimano STX Hyperdrive-C 21 speed gearing
- Araya TM-18 double wall 32 hole alloy rims
- Maxxis II carbon core competition tires
- Mongoose composite pedals with nylon clips and straps
- Mongoose competition racing saddle
- Available Colors: Forest Green and Polished Silver





A smooth, durable and precise shifting system is essential for mountain biking. So we've outfitted the Rockadile SX with Shimano's STX (RC) shifters. These high performance 7 speed Rapid Fire Plus shifters are easy to operate and provide quick, accurate shifts. They also feature above the handlebar optical shift indicators, which let you see what gear you're in at all times.




ROCKADILE

- Mongoose suspension specific TIG welded 7005 alloy frame
- Mongoose 100% Cr-Mo butted super light fork
- YST threadless headset system with Cr-Mo stem
- Mongoose super light 180 grams light alloy handlebars
- Shimano STX (RC) Shifters with above the bar "Optical Indicators"
- Shimano STX (RC) derailleurs with 21 speed IG shifting
- Shimano STX Hyperdrive-C 21 speed gearing
- Araya TM-18 double wall 32 hole alloy rims
- Available Colors: Blazing Blue and Polished Silver




The Alcoa 7005 series alloy frame features a looped rear triangle and a weight of just under 4 lbs.



ALTA

- Mongoose designed Tange MTB 100% double butted Cr-Mo frame
- Mongoose 100% Cr-Mo super light fork
- Shimano Alivio shifters with new "Optical Indicators"
- Mongoose "Treadlock" 26 x 2.10 off-road tires
- Mongoose Cr-Mo stem with alloy super light handlebars
- Araya GP-710 alloy rims
- Mongoose kryton performance grips
- Available Colors: Titanium Finish and Midnight Blue



Shimano's SG compatible STX crankset has replaceable 42x32x22T chainwheels.


HILL TOPPER SX

- Mongoose designed Tange MTB 100% Cr-Mo suspension specific main frame
- Shimano Alivio alloy cantilever brakes with Multi-Condition shoes
- Shimano Alivio crankset with Hyperdrive-C gearing
- Shimano Alivio derailleurs with IG shifting system
- Mongoose alloy 3 finger brake levers
- Shimano Alivio crankset with Hyperdrive-C gearing
- Grip Shift™ SRT-400i shifting system
- Mongoose "Treadlock" 26 x 2.10 off-road tires
- Mongoose comfort saddle with guard
- 14 gauge stainless spokes
- Available Colors: Matre Bordeaux and Gloss Black





A good quality suspension fork can really add to the enjoyment of your mountain bike. For the Hilltopper SX, we've chosen the new Rock Shox Quadra 5 fork. It can be easily adjusted for a wide range of riding conditions, and uses elastomer bumpers to smooth out rocks, roots, bumps - just about anything you can ride over.



HILL TOPPER

- Mongoose designed Tange MTB 100% Cr-Mo main frame
- Mongoose oversize Cr-Mo fork
- Shimano Alivio alloy cantilever brakes with Multi-Condition shoes
- Shimano Alivio crankset with 21 speed Hyperdrive-C gearing
- Shimano Alivio derailleurs with IG shifting system
- Mongoose alloy 3 finger brake levers
- Araya GP-710 32 hole alloy rims with stainless spokes
- Available Colors: Forest Green, Blazing Blue and Chromica



Grip Shift's SRT-400i shifters are lightweight and operate with just a simple twist of your wrist.





SYCAMORE

- Mongoose designed Tange MTB 100% Cr-Mo main frame and fork
- Shimano Alevio derailleurs for Hyperdrive-C gearing
- Shimano alloy cantilever brakes with Multi-Condition brake shoes
- Shimano Parallax alloy quick change hubs
- Grip Shift™ SRT-300i shifting system with easy glide cables
- Tracer Dynodrive compact gearing
- Araya GP-710 alloy 36 rims
- Available Colors: Devil Red, Electric Purple/Black and Steel Blue (men's only)



The investment cast low profile crank arms are anatomically sized for maximum pedaling efficiency.



SWITCHBACK

- Mongoose designed Tange ATB 100% Cr-Mo main frame
- Mongoose Cr-Mo radius bend front fork
- Shimano Acera-X Hyperdrive-C derailleurs
- Shimano alloy cantilever brakes with Multi-Condition brake shoes
- Shimano Parallax alloy quick change hubs
- Shimano Rapid Fire Plus shifting
- Mongoose alloy micro adjust seatpost with Gel Sofllite saddle
- Available Colors: Forest Green, Sapphire Blue and Bright Purple



- This model is also available in Ladies' sizes.




THRESHOLD

- Mongoose designed Tange ATB 100% Cr-Mo main frame
- Shimano Altus-C-90 derailleurs with Hyperglide gearing
- Shimano Altus-C-90 Opti-Gauge shifting
- Shimano alloy cantilever brakes with Multi-Condition brake shoes
- Shimano Parallax alloy hub with Shimano alloy cassette nipped rear
- Tracer MT-4j Minidrive 38x32x24T index crankset
- Araya VP-20 Alloy 36 hole rims
- Available Colors: Gloss Black, Candy Red, Sparkling Champagne and Candy Teal



• This model is also available in Ladies' sizes.

FRAME SPECIFICATIONS



GEOMETRY CHART LEGEND

S/T	Seat Tube	F/R	Fork Rake
T/T	Top Tube	H/A	Head Angle
H/T	Head Tube	S/A	Seat Angle
C/S	Chainstay	W/B	Wheelbase
B/B	Bottom Bracket offset	S/H	Stand Over Height*

*Distance from top tube to the ground measured at the midpoint of the top tube.

FRAME MEASUREMENTS

Mongoose frames are measured "Center-To-Center" (For example: the seat tube measurement is taken from the center of the bottom bracket spindle to the center of the top tube where it intersects the seat tube). The AMPLIFIER frameset is measured "Center-to-True-Horizontal" (Where the top would intersect the seat tube if the top tube was parallel to the ground). The crank and stem measurements refer to the length of each part.

C.P.S.C. EQUIPMENT INCLUDED, NOT SHOWN. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. "MONGOOSE", THE SWASH "M" LOGO, "IBOC", "ZERO-G", "SWITCHBACK", "SYCAMORE", "ALTA", "STORMER", "MT. GRIZZLY", "CROSSWAY", AND THE THE MONGOOSE ANIMAL LOGO ARE REGISTERED TRADEMARKS BELONGING TO AMERICAN RECREATION CORPORATION. ALL RIGHTS RESERVED. MONGOOSE BICYCLES ARE DISTRIBUTED EXCLUSIVELY BY SERVICE CYCLE SUPPLY COMPANY © 1995 SERVICE CYCLE BICYCLE COMPANY. ALL RIGHTS RESERVED. MONGOOSE PERFORMANCE BICYCLES, 300 GASHIWA STREET, TORRANCE CA 90505 U.S.A. FOR THE NEAREST AUTHORIZED MONGOOSE DEALER, CALL 800-645-5806, ext. 399.

FRAME SIZE	S/T	T/T	H/T	C/S	B/B	F/R	H/A	S/A	W/B	Stand Over Height	CRANK	STEM	
16 in	Mens	420mm	568mm	101mm	425mm	N/A	38mm	71.5°	73°	1074mm	28.0 inches	175	135
18 in	Mens	470mm	584mm	101mm	425mm	N/A	38mm	71.5°	73°	1082mm	30.5 inches	175	135
20 in	Mens	521mm	609mm	127mm	425mm	N/A	38mm	71.5°	73°	1108mm	32.0 inches	175	135

IBOC TEAM SX, IBOC PRO SX, IBOC PRO, IBOC COMP SX, IBOC COMP													
FRAME SIZE	S/T	T/T	H/T	C/S	B/B	F/R	H/A	S/A	W/B	Stand Over Height	CRANK	STEM	
14 in	Mens	352mm	520mm	85mm	425mm	34mm	38mm	71°	73°	1019mm	27.0 inches	176mm	115mm
16 in	Mens	404mm	550mm	105mm	425mm	34mm	38mm	71°	73°	1045mm	28.5 inches	175mm	115mm
17.5 in	Mens	442mm	585mm	115mm	425mm	34mm	38mm	71°	73°	1057mm	30.0 inches	175mm	115mm
19 in	Mens	480mm	581mm	135mm	425mm	34mm	38mm	71°	73°	1070mm	31.5 inches	175mm	125mm
21.5 in	Mens	542mm	593mm	175mm	425mm	34mm	38mm	72°	73°	1081mm	33.0 inches	175mm	135mm

IBOC WORLD, IBOC ROAD, IBOC CHIT													
FRAME SIZE	S/T	T/T	H/T	C/S	B/B	F/R	H/A	S/A	W/B	Stand Over Height	CRANK	STEM	
49 cm	Mens	498mm	535mm	95mm	415mm	65mm	45mm	72°	73.3°	887mm	29.3 inches	170mm	90mm
52 cm	Mens	520mm	555mm	115mm	415mm	65mm	45mm	72.3°	73°	996mm	30.5 inches	170mm	100mm
53.5 cm	Mens	535mm	560mm	130mm	415mm	65mm	45mm	72.3°	73°	1002mm	31.1 inches	170mm	110mm
55 cm	Mens	550mm	560mm	145mm	415mm	65mm	45mm	72.3°	73°	1000mm	31.7 inches	170mm	120mm
56.5 cm	Mens	565mm	570mm	160mm	415mm	65mm	45mm	73°	73°	1008mm	32.2 inches	170mm	120mm
58 cm	Mens	580mm	575mm	175mm	415mm	65mm	45mm	73°	73°	1012mm	32.8 inches	175mm	120mm
61 cm	Mens	619mm	590mm	205mm	415mm	65mm	45mm	73°	73°	1027mm	34.0 inches	175mm	130mm

ROCKADILE SX, ROCKADILE													
FRAME SIZE*	S/T	T/T	H/T	C/S	B/B	F/R	H/A	S/A	W/B	Stand Over Height	CRANK	STEM	
14 in	Mens	307mm	535mm	100mm	420mm	45mm	45mm	70.3°	73°	1023mm	26.5 inches	170mm	100mm
15.5 in	Mens	358mm	550mm	100mm	420mm	45mm	45mm	70.3°	73°	1040mm	27.8 inches	175mm	110mm
17.5 in	Mens	396mm	570mm	115mm	420mm	45mm	45mm	71°	73°	1055mm	28.0 inches	175mm	120mm
19.5 in	Mens	447mm	585mm	125mm	420mm	45mm	45mm	71°	73°	1065mm	30.0 inches	175mm	130mm
22 in	Mens	498mm	600mm	140mm	420mm	40mm	40mm	71°	73°	1075mm	32.0 inches	175mm	130mm

*Due to sloping top tube design, Rockadile and Rockadile SX frame sizes are referred to as if they were a horizontal top tube.

IBOC ZERO-G SX, IBOC ZERO-G, ALTA, HILL TOPPER SX, HILL TOPPER													
FRAME SIZE	S/T	T/T	H/T	C/S	B/B	F/R	H/A	S/A	W/B	Stand Over Height	CRANK	STEM	
14 in	Mens	352mm	520mm	85mm	425mm	40mm	40mm	71°	74°	1020mm	27.5 inches	170mm	110mm
17 in	Mens	432mm	565mm	95mm	425mm	40mm	45mm	72°	73.3°	1051mm	28.0 inches	175mm	110mm
18.5 in	Mens	462mm	575mm	95mm	425mm	40mm	45mm	72°	73.3°	1055mm	30.0 inches	175mm	120mm
19.5 in	Mens	492mm	585mm	95mm	425mm	40mm	45mm	72°	73°	1055mm	31.0 inches	175mm	130mm
22 in	Mens	556mm	610mm	145mm	425mm	40mm	45mm	72°	73°	1069mm	33.5 inches	175mm	130mm

SYCAMORE, SWITCHBACK, THRESHOLD													
FRAME SIZE	S/T	T/T	H/T	C/S	B/B	F/R	H/A	S/A	W/B	Stand Over Height	CRANK	STEM	
13.5 in	Mens	350mm	515mm	85mm	445mm	38mm	45mm	69.3°	72.3°	1042mm	27.0 inches	170mm	110mm
15.5 in	Mens	391mm	535mm	85mm	445mm	38mm	45mm	69.3°	72.3°	1057mm	28.5 inches	170mm	110mm
17.5 in	Mens	442mm	560mm	95mm	445mm	35mm	45mm	70°	72°	1067mm	30.0 inches	170mm	120mm
19.5 in	Mens	493mm	570mm	115mm	445mm	35mm	45mm	70°	72°	1086mm	31.0 inches	170mm	120mm
21.5 in	Mens	543mm	580mm	165mm	445mm	35mm	45mm	70.3°	72°	1077mm	33.0 inches	170mm	120mm
23.5 in	Mens	593mm	595mm	215mm	445mm	35mm	45mm	70.3°	72°	1092mm	34.5 inches	170mm	140mm
17 in	Ladies	432mm	522mm	125mm	445mm	38mm	45mm	69.3°	73.3°	1079mm	N/A	170mm	110mm
19 in	Ladies	483mm	550mm	125mm	445mm	38mm	50mm	69.3°	73.3°	1079mm	N/A	110mm	110mm

CROSSWAY 650													
FRAME SIZE	S/T	T/T	H/T	C/S	B/B	F/R	H/A	S/A	W/B	Stand Over Height	CRANK	STEM	
14.5 in	Mens	366mm	530mm	85mm	436mm	50mm	40mm	70°	73°	1053mm	26.5 inches	170mm	110mm
16.5 in	Mens	416mm	540mm	85mm	436mm	50mm	40mm	70.3°	73°	1038mm	28.0 inches	170mm	110mm
18.5 in	Mens	470mm	555mm	95mm	436mm	50mm	40mm	70.3°	73°	1038mm	30.0 inches	175mm	120mm
20.5 in	Mens	520mm	565mm	135mm	436mm	50mm	40mm	71°	73°	1045mm	31.0 inches	175mm	120mm
22.5 in	Mens	570mm	575mm	165mm	436mm	50mm	40mm	71.3°	73°	1051mm	33.0 inches	175mm	130mm
24.5 in	Mens	620mm	585mm	215mm	436mm	50mm	40mm	71.3°	73°	1062mm	35.0 inches	175mm	140mm

CROSSWAY 250, CROSSWAY 450, CROSSWAY 625													
FRAME SIZE	S/T	T/T	H/T	C/S	B/B	F/R	H/A	S/A	W/B	Stand Over Height	CRANK	STEM	
13 in	Mens	337mm	520mm	85mm	450mm	60mm	45mm	70°	73°	1052mm	26.0 inches	170mm	110mm
15 in	Mens	380mm	520mm	85mm	450mm	60mm	45mm	70.3°	73°	1038mm	28.0 inches	170mm	110mm
17 in	Mens	426mm	543mm	85mm	450mm	60mm	45mm	70.3°	73°	1038mm	28.0 inches	170mm	120mm
19 in	Mens	477mm	573mm	95mm	450mm	60mm	45mm	71°	73°	1049mm	30.0 inches	170mm	120mm
21 in	Mens	528mm	586mm	135mm	450mm	60mm	45mm	71.3°	73°	1051mm	32.0 inches	175mm	130mm
23 in	Mens	584mm	615mm	185mm	450mm	60mm	45mm	71.3°	73°	1062mm	34.0 inches	170mm	140mm
17 in	Mistie	450mm	N/A	135mm	450mm	60mm	60mm	71.3°	73°	1051mm	N/A	170mm	110mm
19 in	Mistie	490mm	N/A	135mm	450mm	60mm	60mm	71.3°	73°	1062mm	N/A	170mm	110mm

MONGOOSE INTERNATIONAL DISTRIBUTORS

America
 SERVICE CYCLE SUPPLY COMPANY
 Tel: 516-864-2000 Fax: 516-864-2031

Argentina
 ROSARIO RODADO
 Tel: 41-30-5130 Fax: 41-37-1434

Australia
 GEMINI BICYCLE CENTERS
 Tel: 2-797-8028 Fax: 2-797-9932

Austria
 SPORTS MARKETING
 Tel: 07242-24-363 Fax: 07242-233-158

Belgium
 QUADRANT
 Tel: 074-43-8455 Fax: 074-43-9975

Brazil
 FCG INTERNATIONAL
 Tel: 21-263-1299 Fax: 21-233-7319

Canada
 MONGOOSE BICYCLE CANADA
 Tel: 403-273-1244 Fax: 403-248-1221

Czech Republic
 UNIVERSE AGENCY
 Tel: 02-472-1760 Fax: 02-472-1363

France
 CYCLES ET SPORTS
 Tel: 01-608-05210 Fax: 01-608-05420

Finland
 RAUL HELLBERG
 Tel: 90-852-3377 Fax: 90-852-3445

Germany
 CICLO SPORT
 Tel: 089-857-2017 Fax: 089-857-7472

Greece
 KASSIMATIS
 Tel: 01-41-13-654 Fax: 01-41-19-317

Hungary
 JPM K.F.T.
 Tel: 01-29-02-229 Fax: 01-29-02-229

Iceland
 G.A. PETUSSON
 Tel: 01-685-580 Fax: 01-689-899

Italy
 CICLOPOOL
 Tel: 050-98-54-55 Fax: 050-98-54-56

Japan
 MOTOCROSS INTERNATIONAL
 Tel: 052-272-0356 Fax: 052-276-5119

Canada
 MONGOOSE BICYCLE CANADA
 Tel: 403-273-1244 Fax: 403-248-1221

Mexico
 TERRA SPORT
 Tel: 03-653-7599 Fax: 03-653-7599

Norway
 SAETRANG SPORT
 Tel: 22-60-8501 Fax: 22-60-8098

Poland
 SPORTS SERVICE CENTER
 Tel: 071-31-539 Fax: 071-31-539

Puerto Rico
 EMILIO MULERO INC.
 Tel: 809-743-7551 Fax: 809-743-7550

Sweden
 UNICYKEL
 Tel: 031-50-0110 Fax: 031-51-0316

Switzerland
 TITAN
 Tel: 062-51-3131 Fax: 062-51-3133

United Kingdom
 KARRIMOR
 Tel: 0291-42-1881 Fax: 0291-42-2072

MONGOOSE LIMITED WARRANTY

Mongoose bicycle frames that have been purchased from an authorized Mongoose bicycle dealer are warranted by Mongoose to be free from defects in material and workmanship under normal use for as long as the bicycle is owned by the original owner.

All original parts purchased from an authorized Mongoose bicycle dealer, except tires, tubes and cables are warranted by Mongoose to be free from defects in materials and workmanship under normal use for one year from the date of purchase.

During each of the respective limited warranty periods, all original parts and bicycle frames subject to this limited warranty and determined by Mongoose to be defective in materials or workmanship will be repaired or replaced by Mongoose through an authorized Mongoose bicycle dealer, free of charge, except for shipping or other transportation charges and dealer labor charges (if applicable). These charges are not covered by this limited warranty.

This limited warranty applies only to Mongoose bicycles which were fully assembled by an authorized Mongoose bicycle dealer at the time of purchase and were not altered in any way inconsistent with the bicycle's design. Mongoose bicycles should be inspected by an authorized Mongoose dealer every six months. In order to obtain limited warranty service, the bicycle, together with the bill of sale or other dated proof-of-purchase document identifying the bicycle frame number, must be presented to an authorized Mongoose bicycle dealer.

For assistance in locating an authorized Mongoose bicycle dealer, please write:

Service Cycle Supply Company, 48 Mall Drive, Commack NY 11725


NOTICE: The user assumes the risk of any personal injuries, damage to, or failure of the bicycle and any other losses if Mongoose bicycles are used in any competitive event (including bicycle racing or bicycle motocross, dirt biking, freeriding, or similar activities or training for such activities), altered in any way inconsistent with the bicycle's originally designed purpose, used for stunt riding, ramp jumping, acrobatics or similar activities, operated with multiple riders, used to tow another person or vehicle, used with motors or any power-driven apparatus. Any of the foregoing will invalidate this limited warranty, and Mongoose shall not be liable for any failure, loss, damage or injury resulting from such use or alterations.

MONGOOSE shall not be responsible for incidental or consequential damages. This limited warranty does not cover any personal injuries, damage to, or failure of the bicycle or any other losses due to accident, misuse, alteration, neglect, abuse, normal wear and tear, improper assembly, improper fit, improper maintenance or use of unauthorized replacement parts or parts not designed for the bicycle.

This limited warranty is the only warranty applicable to MONGOOSE bicycles and is expressly in lieu of any other warranty. Any implied warranty, including any warranty of merchant ability or fitness for a particular purpose is limited in duration to the duration of this express warranty. This limited warranty gives you specific legal rights, and you may also have other rights which may vary from state to state. This limited warranty applies only to the United States.

*EXCLUDES AMPLIFIER FRAME SET (See manufacturers warranty policy)

©1995 Service Cycle Bicycle Company. All rights reserved.



MONGOOSE PERFORMANCE BICYCLES
 3400 KASHIWA STREET • TORRANCE, CA 90505
 1-800-645-5806, EXT. 399

88-134
 Printed in USA