


1991 Trek Catalog

This is an extract from the 1991 Trek Catalog. It contains details on the two steel-framed road bikes that Trek made this year: models 520 and 400.

Page 3 contains the specs. for these bikes as well as those for the other road bikes Trek produced in 1991. Page 4 contains the specs. for Mountain and Multi-track bikes from 1991. The colors for the various bike models are listed in the table at the end of this document.

All of the pages can be enlarged to see more detail.



520 Cro-moly Touring


Trek's Road Cro-moly bicycles are carefully crafted bicycles that go a long way in performance. Their brazed Cro-moly construction results in a strong, rigid, precisely aligned frame that offers long-lasting quality, fun and value. ■ The 520 is designed with long distance touring in mind. The special geometry of the frame creates directional stability while loaded and offers ample clearance for panniers and fenders. The Shimano Deore DX components and the triple crank assure smooth operations under the stress encountered when touring. ■ The 520 Cro-moly is a quality cycle that will provide you with long-term cycling performance and enjoyment.

Function Specific™ Design

SIZES
17, 19, 21 and 23"
FRAME/FORK
True Temper AT Double Butted Cro-moly/Cro-moly w/unicrown
HUBS
Shimano Deore DX, 36 hole w/OR
RIMS
Matrix Titan Tour, 700C, hard anodized
TIRES
Matrix Tour 700 x 30C, Kevlar belted skinwall
DRIVE TRAIN
Shimano Deore DX SIS
BRAKESET
Shimano Deore L.P. DX SLR Cantilevers
FREEWHEEL
Shimano Hyperglide 12-28, 7-speed cassette
Shown in Purple with White on Conch and Silver.



400 Cro-moly Sport



The 400 is designed for the cyclist looking for a sport and all around fitness bicycle. The geometry of this cycle provides a quick and exhilarating ride.

SIZES
18, 19, 21, 22.5, 24 and 25.5"
FRAME/FORK

and constant performance that make the 400 a great ride.

Matrix CD-2, 700 x 28C,
High pressure skinwall
DRIVE TRAIN
SunTour Blaze SS Accushift
BRAKESET
Dia Compe Blaze with aero levers
FREEWHEEL
SunTour Accushift Plus 13-28, 7-speed
Shown in White with Red on Silver
and Purple.

Function Specific™ Design



Specifications for 91 Road Bikes

MODEL SIZES	MAIN TUBES	SEAT LUG	STAYS	FORK	HEADSET	CRANKSET	FRONT/REAR DERAILLEUR	SHIFT LEVERS	BRAKESET	FREEWHEEL/CHAIN	HUBSET	SPOKES	RIMS	TIRES	PEDALS	HANDLE-BARS	STEM	SEAT POST	SADDLE	SPECIAL ADD-ONS	
ROAD BIKES																					
2500	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek graphite-epoxy double butted composite	Trek bonded polished aluminum alloy	Trek tapered graphite-epoxy composite	Trek bright polished aluminum w/ stainless tips	Shimano Dura Ace sealed	Shimano Dura Ace 58/39 round Superglide w/ sealed BB	(f) Shimano Dura Ace Brake-on type (r) Shimano Dura Ace 8-speed indexing	Shimano Dura Ace SLR w/aero levers	(f) Shimano Hyperglide 12-21, 8-speed (c) Shimano Dura Ace	Shimano Dura Ace sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-6K, Kevlar 700 x 20C	Shimano 7401 clipless	SR FX Modulo Bend aluminum alloy	Dura Ace Aero cold forged alloy	USA light alloy 250mm	Sella Italia Turbo	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger	
2300	47, 50, 52, 54, 56, 58, 60 and 62 cm	True Temper graphite-epoxy double butted composite	Trek aluminum alloy	Trek tapered aluminum alloy	Trek bonded aluminum w/ stainless steel fork ends	Shimano Ultegra sealed	Shimano Ultegra S3/39 round Superglide w/ sealed BB	(f) Shimano Ultegra 7-speed indexing (r) Shimano Ultegra 7-speed indexing	Shimano Ultegra Super SLR w/aero levers	(f) Shimano Hyperglide 13-21, 7-speed (c) Shimano Hyperglide	Shimano Ultegra sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-4, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy black	Matrix PM43 Hard Black 250mm	Vetta Racing Gel wh/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger	
2100	47, 50, 52, 54, 56, 58, 60 and 62 cm	True Temper graphite-epoxy double butted composite	Trek aluminum alloy	Trek tapered aluminum alloy	Trek bonded aluminum w/ stainless steel fork ends	Tange sealed satin silver	Shimano 105 SC, 53/42 round Superglide aluminum chainrings	(f) Shimano 105 SC 7-speed indexing (r) Shimano 105 SC 7-speed indexing	Shimano 105 SC Super SLR w/aero levers	(f) Shimano Hyperglide 13-23, 7-speed (c) Shimano Hyperglide	Shimano 105 SC sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy black	Matrix PM43 Hard Black 250mm	Vetta Racing Gel wh/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger	
1420	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Easton 6061 E9 double butted aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Trek bonded aluminum w/ stainless steel fork ends	Tange sealed satin silver	Shimano Deore DX 50/44/28 round aluminum chainrings	(f) Shimano Deore Half-Step DX 7-speed indexing (r) Shimano Deore DX 7-speed indexing	Shimano 7-speed SIS indexing	Shimano 105 SC Super SLR w/aero levers	(f) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano 105 SC sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3K, Kevlar belted 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	SR X-stem 90 degree forged alloy, black	Matrix PM43 Hard Black 250mm	Vetta mens Lycra Gel wh/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
1400	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Easton 6061 E9 double butted aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Trek bonded aluminum w/ stainless steel fork ends	Tange sealed satin silver	Shimano 105 SC, 53/42 round Superglide aluminum chainrings	(f) Shimano 105 SC 7-speed indexing (r) Shimano 105 SC 7-speed indexing	Shimano 105 SC 7-speed SIS indexing	Shimano 105 SC Super SLR w/aero levers	(f) Shimano Hyperglide 13-23, 7-speed (c) Shimano Hyperglide	Shimano 105 SC sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3, 700 x 25C	LOOK #66 adjustable clipless	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy, black	Matrix PM43 Hard Black 250mm	Vetta Racing Gel wh/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
1200	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Easton 6061 E9 double butted aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Cro-moly w/ internal plug aero sloping crown	Tange sealed satin silver	Shimano RX-100 S3/42 round Superglide aluminum chainrings	(f) Shimano RX-100 Half-Step DX 7-speed indexing (r) Shimano RX-100 7-speed indexing	Shimano RX-100 7-speed SIS indexing	Shimano RX-100 Super SLR w/aero levers	(f) Shimano Hyperglide 13-23, 7-speed (c) Shimano Hyperglide	Shimano RX-100 sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-3, 700 x 25C	Shimano RX-100 aero w/rips	SR Modolo bend aluminum alloy	H.L. forged aluminum alloy, black	Alloy micro-adjust 250mm	Vetta Racing Gel wh/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
1100	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Alcoa 6061 T6 aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Cro-moly w/TIG welded aero uncrown	Tange sealed satin silver	SR Edge 52/42 round AUS chainrings	(f) SunTour Edge GX 7-speed Accushift Plus indexing (r) SunTour Edge GX 7-speed Accushift Plus indexing	SunTour Edge 7-speed Accushift Plus indexing	Di2 Comp Edge w/DC BRS aero levers	(f) SunTour Accushift Plus 13-28, 7-speed (c) SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan II, hard anodized	Matrix CD-2, 700 x 25C	HTI alloy quill w/rips	SR Modolo bend aluminum alloy	SR X-stem 90 degree forged alloy, black	Alloy micro-adjust 250mm	Vetta mens Lycra Gel wh/shock absorption	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
1000	47, 50, 52, 54, 56, 58, 60 and 62 cm	Trek/Alcoa 6061 T6 aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Cro-moly w/TIG welded aero uncrown	Tange sealed satin silver	SR Edge 52/42 round AUS chainrings	(f) SunTour Edge SS 7-speed Accushift Plus indexing (r) SunTour Edge SS 7-speed Accushift Plus indexing	SunTour Edge 7-speed Accushift Plus indexing	Di2 Comp Edge w/DC BRS aero levers	(f) SunTour Accushift Plus 13-28, 7-speed (c) SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix ISO-C II, hard anodized	Matrix CD-2, 700 x 25C	HTI alloy quill w/rips	SR Modolo bend aluminum alloy	Delta DL Aero alloy	Alloy micro-adjust 250mm	Matrix Lycra "Ener-Gel"	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses and chain hanger
520	17, 19, 21 and 23"	True Temper TX double butted Cro-moly	Trek investment cast	True Temper tapered Cro-moly	Cro-moly w/ uncrown and cantilever brake bosses	Tange sealed black	Shimano Deore DX 50/44/28 round aluminum chainrings	(f) Shimano Deore DX 7-speed indexing (r) Shimano Deore DX 7-speed indexing	Shimano 7-speed SIS indexing bar ends	Shimano Deore DX L.P. cantilevers, w/SLR aero levers	(f) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore DX sealed 36 hole w/QR	15G stainless steel	Matrix Titan Tour, hard anodized	Matrix Tour, 700 x 30C Kevlar belted	Victor 9335 black w/rips	SR X-Bar w/ Modolo bend	SR X-stem 90 degree forged alloy, black	PM43 Hard Black micro-adjust 300mm	Vetta mens Lycra Gel wh/shock absorption	Top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger, brake bosses and front and rear rack mounts
400	18, 19, 21, 22.5, 24 and 25.5"	True Temper RC double butted Cro-moly	Trek investment cast	True Temper tapered Cro-moly	Cro-moly w/ sloping crown	Tange sealed satin silver	SR Blaze round 53/42 AUS chainrings	(f) SunTour Blaze SS 7-speed Accushift Plus indexing (r) SunTour Blaze SS 7-speed Accushift Plus indexing	SunTour Blaze 7-speed Accushift Plus indexing	Di2 Comp Blaze standard reach w/DC BRS aero levers	(f) SunTour 13-28 Accushift Plus 7-speed (c) SunTour Accushift Plus	Sansin sealed 32 hole w/QR	15G stainless steel	Matrix Titan II, hard anodized	Matrix CD-2, 700 x 28C	HTI alloy quill w/rips	H.L. aluminum alloy	Delta DL Aero alloy	Alloy micro-adjust 250mm	Matrix "Air-Flex"	Top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger and rear rack mounts

Specifications for 91 Mountain and Multi-track Bikes

MODEL	SIZES	MAIN TUBES	SEAT LUG	STAYS	FORK	HEADSET	CRANKSET	FRONT/REAR DERAILLEUR	SHIFT LEVERS	BRAKESET	FREEWHEEL/CHAIN	MURSET	SPOKES	RIMS	TIRES	PEDALS	HANDLE-BARS	STEM	SEAT POST	SADDLE	SPECIAL ADD-ONS	
8900	15, 16.5, 18, 20 and 22"	Trek ATB double butted graphite-epoxy composite OD headlug	Trek aluminum alloy	Trek/Easton tapered Ti6 aluminum	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-3 Averger black CP sealed	Sugino XP Forged 48-56/24 round powerings	(f) SunTour XC Pro Top-pull (r) SunTour XC Pro GT for Accushift Plus	SunTour XC Pro Multi-Mount Thumb-shifters	Grifon speed control cantilevers w/ Active pads & XC Pro levers	(w) SunTour Winner Pro 12-28, 7-speed Accushift Plus (c) SunTour Accushift Plus	Bulleys precision sealed OR 32 hole	15G stainless steel	Matrix Titan II ATB hard anodized	Matrix Z-Axis Comp Kevlar folding 26 x 2.0"	SunTour XC Pro grease guard competition alloy w/rips	Matrix/Easton aluminum alloy Hyper-Lite black	Answer A-TAC TiG welded alloy OS	USA light alloy Hard Black 300mm	Sella Italia Turbo	Dual bottle mounts, Triple-Tech cantilever cable stop, chain hanger and ONZA bold bar ends	
8700	15, 16.5, 18, 20 and 22"	Trek ATB double butted graphite-epoxy composite OD headlug	Trek aluminum alloy	Trek/Easton tapered Ti6 aluminum	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-3 Averger black CP sealed	Sugino XP Forged 48-56/24 round powerings	(f) SunTour XC Pro Top-pull (r) SunTour XC Pro GT for Accushift Plus	SunTour XC Pro Multi-Mount Thumb-shifters	Dia Compe 986 cantilevers Super SLR L.P. cantilevers w/ 7-speed SIS indexing	(w) SunTour Winner Pro 12-28, 7-speed Accushift Plus (c) SunTour Accushift Plus	Bulleys precision sealed OR 32 hole	15G stainless steel	Matrix Titan II ATB hard anodized	Matrix Z-Axis Comp Kevlar folding 26 x 2.0"	SR MTP-129 Low Fat Pro sealed w/rips	Matrix/Easton aluminum alloy Taper-Lite black	Matrix OS welded aluminum black	Matrix PM43 Hard Black 300mm	Sella Italia Turbo	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger	
8500	15, 16.5, 18, 20 and 22"	Trek/Easton 7000 E9 double butted aluminum alloy OD headlug	Trek aluminum alloy	Trek tapered aluminum alloy	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-3 Averger black CP sealed	Shimano Deore XT w/black alloy 48-56/24 round Superlide chainrings	(f) Shimano Deore XT Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore XT Multi-Mount Thumb-shifters	Shimano Deore XT L.P. cantilevers w/ 7-speed SIS indexing	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore DX 32 hole w/OR	14G stainless steel	Matrix Single Track comp	Matrix Z-Axis Front & Rear Fire System 26 x 2.0"	Shimano Deore XT alloy ATB w/XT nylon clips	Matrix/Easton alloy Taper-Lite black	Matrix OS welded aluminum black	Matrix PM43 Hard Black 300mm	Sella Italia Turbo	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger	
8000	15, 16.5, 18, 20 and 22"	Trek/Easton 7000 E9 double butted aluminum alloy OD headlug	Trek aluminum alloy	Trek tapered aluminum alloy	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-3 Averger black CP sealed	Shimano Deore XT w/black alloy 48-56/24 round Superlide chainrings	(f) Shimano Deore XT Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore XT Multi-Mount Thumb-shifters	Shimano Deore XT L.P. cantilevers w/ 7-speed SIS indexing	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore DX 32 hole w/OR	14G stainless steel	Matrix Single Track comp	Matrix Z-Axis Front & Rear Fire System 26 x 2.0"	SR "Power Bulge" alloy black	Matrix/Easton alloy Taper-Lite black	Matrix OS welded aluminum black	Matrix PM43 Hard Black 300mm	Vetta Racing Gel w/whock absorption	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger	
7000	15, 16.5, 18, 20 and 22"	Trek/Easton 6061 E9 double butted aluminum alloy OD headlug	Trek aluminum alloy	Trek tapered aluminum alloy	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	Shimano Deore LX w/white alloy 48-56/24 round Superlide chainrings	(f) Shimano Deore LX Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore LX Multi-Mount Thumb-shifters	Shimano Deore LX L.P. cantilevers w/ 7-speed SIS indexing	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore LX 32 hole w/OR	14G stainless steel	Matrix Single Track comp	Matrix Ciffranger 26 x 2.0"	SR "Low Fat" sport black w/rips	True Temper competition Cro-moly bright green	Matrix OS TiG welded Cro-moly black	Matrix PM43 Hard Black 300mm	Vetta ATB Lycra Gel w/whock absorption	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger	
6000	15, 16.5, 18, 20 and 22"	Trek/Easton 6061 E9 double butted aluminum alloy OD headlug	Trek aluminum alloy	Trek tapered aluminum alloy	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	Shimano Deore LX w/white alloy 48-56/24 round Superlide chainrings	(f) Shimano Deore LX Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore LX Multi-Mount Thumb-shifters	Shimano Deore LX L.P. cantilevers w/ 7-speed SIS indexing	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore LX 32 hole w/OR	14G stainless steel	Matrix Single Track comp	Matrix Ciffranger 26 x 2.0"	SR "Low Fat" sport black w/rips	True Temper competition Cro-moly black	Matrix OS TiG welded Cro-moly black	Matrix PM43 Hard Black 300mm	Micro-adjust alloy 300mm	Matrix "Ener-Gel"	Dual bottle mounts, Triple-Tech cantilever cable stop and chain hanger
990	15, 16.5, 18, 20 and 22"	True Temper OD Full OD	Trek investment cast ATB OS II	True tapered Cro-moly	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-3 Averger black CP sealed	Shimano Deore XT w/black alloy 48-56/24 round Superlide chainrings	(f) Shimano Deore XT Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore XT Multi-Mount Thumb-shifters	Shimano Deore XT L.P. cantilevers w/ 7-speed SIS indexing	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore DX 32 hole w/OR	14G stainless steel	Matrix Single Track comp	Matrix Z-Axis Front & Rear Fire System 26 x 2.0"	Shimano Deore XT alloy ATB w/XT nylon clips	Matrix/Easton alloy Taper-Lite black	Matrix OS welded aluminum black	Matrix PM43 Hard Black OS 300mm	Sella Italia Turbo	Triple-Tech top tube cable stops, dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger	
970	15, 16.5, 18, 20 and 22"	True Temper OD Full OD	Trek investment cast ATB OS II	True tapered Cro-moly	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-3 Averger black CP sealed	Shimano Deore XT w/black alloy 48-56/24 round Superlide chainrings	(f) Shimano Deore XT Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore XT Multi-Mount Thumb-shifters	Shimano Deore XT L.P. cantilevers w/ 7-speed SIS indexing	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore DX 32 hole w/OR	14G stainless steel	Matrix Single Track comp	Matrix Z-Axis Front & Rear Fire System 26 x 2.0"	SR "Low Fat" sport black w/rips	SR "Power Bulge" alloy black	Treag Super "Big Fork" Cro-moly OS	Matrix PM43 Hard Black OS 300mm	Vetta mens Lycra Gel w/whock absorption	Triple-Tech top tube cable stops, dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger	
950	15, 16.5, 18, 20 and 22"	True Temper OD Full OD	Trek investment cast ATB OS I	True tapered Cro-moly	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	Shimano Deore LX w/white alloy 48-56/24 round Superlide chainrings	(f) Shimano Deore LX Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore LX Multi-Mount Thumb-shifters	Shimano Deore LX L.P. cantilevers w/ 7-speed SIS indexing	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore LX 32 hole w/OR	14G stainless steel	Matrix Single Track comp	Matrix Ciffranger 26 x 2.0"	SR "Low Fat" sport black w/rips	True Temper competition Cro-moly black	Matrix OS TiG welded Cro-moly black	Micro-adjust alloy 300mm	Vetta ATB Lycra Gel w/whock absorption	Triple-Tech dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger	
930	15, 16.5, 18, 20 and 22"	True Temper OD Full OD	Trek investment cast ATB OS I	True tapered Cro-moly	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	SR X-1 w/round 48-56/24 round Superlide chainrings	(f) SunTour XC-LTD Top-pull (r) SunTour XC-LTD Accushift Plus indexing	SunTour X-press Accushift Plus indexing	Dia Compe X-1 cantilevers w/DC short stop BRS levers	(w) SunTour 13-30 Accushift Plus (c) SunTour Accushift Plus	Santen sealed 32 hole w/OR	14G stainless steel	Matrix Single Track comp 26 x 1.25"	Matrix Ciffranger 26 x 2.0"	SR "Low Fat" sport black w/rips	True Temper competition Cro-moly black	SR Tube OS alloy/ Cro-moly black	Micro-adjust alloy 300mm	Matrix "Ener-Gel"	Triple-Tech dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger	
850	14.5, 16.5, 18, 20 and 22"	Treag ATB double butted Cro-moly OD Top & Head Tubes	Trek TiG welded and outer butted	Trek ATB tapered Cro-moly 18mm Dia	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	SR XCE w/round 48-56/24 round Superlide chainrings	(f) SunTour XCE GX Top-pull (r) SunTour XCE 7-speed Accushift Plus indexing	SunTour X-press Accushift Plus indexing	Dia Compe XCE cantilevers w/DC BRS ATB levers	(w) SunTour 13-30 Accushift Plus (c) SunTour Accushift Plus	Santen sealed 32 hole w/OR	14G UC	Matrix Single Track 26x1.5" alloy	Matrix Ciffranger 26 x 2.0"	Victor VP-933S w/rips	H.L. competition black flat 560mm	Matrix OS TiG welded Cro-moly black	Micro-adjust alloy 300mm	Matrix Lycra "Ener-Gel"	Triple-Tech dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger	
830	14.5, 16.5, 18, 20, 22 and 24"	Treag ATB double butted Cro-moly OD Top & Head Tubes	Trek TiG welded and outer butted	Trek ATB tapered 18mm Dia	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	Shimano Exage 300 LX 48-56/24 round Superlide chainrings	(f) Shimano Exage 300 LX Top-pull (r) Shimano Exage 300 LX 7-speed indexing	Shimano Exage 300 LX Rapid Fire 7-speed SIS indexing	Shimano Exage 300 LX cantilevers w/SLR ATB levers	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano 36 hole w/OR	14G UC	Araya VP-20 alloy	Matrix CDX 26 x 1.95" skinnail knobby	HTI nylon ATB	H.L. competition black flat 560mm	Matrix OS TiG welded Cro-moly black	Micro-adjust alloy 300mm	Matrix Lycra "Ener-Gel"	Triple-Tech dual bottle mounts, cantilever cable stop, rear rack mounts and chain hanger	
820	14.5, 16.5, 18, 20, 22, 17" ladies, 15.5 x 24" wheel	Trek ATB Cro-moly	Trek TiG welded and outer butted	Trek special tapered 18mm Dia	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	Shimano 200GS 48-56/24 round Superlide chainrings	(f) Shimano 200GS Top-pull (r) Shimano 200GS 7-speed indexing	Shimano 200GS Rapid Fire 7-speed SIS indexing	Shimano 200GS cantilevers w/SLR ATB levers	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano 36 hole w/OR	14G UC	Araya VP-20 alloy	Matrix CDX 26 x 1.95" skinnail knobby	HTI nylon ATB	Steel, black flat 600mm	TiG welded black w/ high rise	Steel pin 300mm, black	Matrix Lycra "Ener-Gel"	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, rear rack mounts, chain stay cable stop and chain hanger	
800	14.5, 16.5, 18, 20, 22 and 24" ladies, 15.5 x 24" wheel	Trek ATB Cro-moly	Trek TiG welded and outer butted	Trek special tapered 18mm Dia	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	Shimano 200GS 48-56/24 round Superlide chainrings	(f) Shimano 200GS Top-pull (r) Shimano 200GS 7-speed indexing	Shimano 200GS Rapid Fire 7-speed SIS indexing	Shimano 200GS cantilevers w/SLR ATB levers	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano 36 hole w/OR	14G UC	Araya MP-22 alloy	Matrix CDX 26 x 1.95" skinnail knobby	HTI nylon ATB	Steel, black flat 600mm	TiG welded steel w/ high rise	Steel pin 300mm, black	Matrix "Air-Flex"	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, rear rack mounts, chain stay cable stop and chain hanger	
MULTI-TRACK																						
7900	15, 16.5, 18, 20 and 22"	Trek/Easton 5051 E9 double butted aluminum alloy	Trek aluminum alloy	Trek tapered aluminum alloy	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	Shimano Deore LX w/white alloy 48-56/24 round Superlide chainrings	(f) Shimano Deore LX Top-pull (r) Shimano Deore LX 7-speed indexing	Shimano Deore LX Multi-Mount Thumb-shifters	Shimano Deore LX L.P. cantilevers w/ 7-speed SIS indexing	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano Deore DX 32 hole w/OR	15G stainless steel	Matrix Titan Tour hard anodized	Matrix Multi-Track 700 x 35C	SR "Low Fat" sport black w/rips	SR "Power Bulge" alloy black	SR Tube OS alloy/ Cro-moly black	Matrix PM43 Hard Black 300mm	Vetta mens Lycra Gel w/whock absorption	Triple-Tech, dual bottle mounts, cantilever cable stop, front and rear rack mounts and chain hanger	
750	17, 19, 21 and 23"	True Temper double butted AT Cro-moly	Trek investment cast	True tapered Cro-moly	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	SR XCE w/round 48-56/24 round Superlide chainrings	(f) SunTour XCE GX Top-pull (r) SunTour XCE 7-speed Accushift Plus indexing	SunTour X-press Accushift Plus indexing	Dia Compe XCE cantilevers w/DC BRS ATB levers	(w) SunTour 13-30T Accushift Plus (c) SunTour Accushift Plus	Santen sealed 32 hole w/OR	15G stainless steel	Matrix Titan Tour hard anodized	Matrix Multi-Track 700 x 35C	SR "Low Fat" sport black w/rips	True Temper Cro-moly 550mm	SR Tube alloy/ Cro-moly black	Alloy micro-adjust 300mm	Vetta mens Lycra Gel w/whock absorption	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, front and rear rack mounts, chain stay cable stop and chain hanger	
720	15, 17, 19, 21 and 23" 17" ladies	Trek ATB Cro-moly	Trek TiG welded and outer butted	Trek special tapered 18mm Dia	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	SR XCE w/round 48-56/24 round Superlide chainrings	(f) SunTour XCE GX Top-pull (r) SunTour XCE 7-speed Accushift Plus indexing	SunTour X-press Accushift Plus indexing	Dia Compe XCE cantilevers w/DC BRS ATB levers	(w) SunTour 13-30T Accushift Plus (c) SunTour Accushift Plus	J.Y. alloy sealed 36 hole w/OR	14G UC	Araya PX-45 alloy	Matrix Multi-Track 700 x 35C	HTI nylon ATB w/rips	Steel, black flat 600mm	Delta alloy w/ high rise	Steel pin 300mm, black	Matrix Lycra "Ener-Gel"	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, front and rear rack mounts, chain stay cable stop and chain hanger	
700	15, 17, 19, 21 and 23" 17" ladies	Trek ATB Cro-moly	Trek TiG welded and outer butted	Trek special tapered 18mm Dia	Treag Super "Big Fork" Cro-moly w/ cast tips & TiG welded uncrown	Treag OS-2 Averger black CP sealed	Shimano 200GS 48-56/24 round Superlide chainrings	(f) Shimano 200GS Top-pull (r) Shimano 200GS 7-speed indexing	Shimano 200GS Rapid Fire 7-speed SIS indexing	Shimano 200GS cantilevers w/SLR ATB levers	(w) Shimano Hyperglide 12-28, 7-speed (c) Shimano Hyperglide	Shimano 36 hole w/OR	14G UC	Araya PX-45 alloy	Matrix Multi-Track 700 x 35C	HTI nylon ATB	Steel, black flat 600mm	TiG welded steel w/ high rise	Steel pin 300mm, black	Matrix "Air-Flex"	Top tube cable stops, dual bottle mounts, down tube cable stops, cantilever cable stop, front and rear rack mounts, chain stay cable stop and chain hanger	

Kevlar is a registered trademark of E. I. DuPont Delermous, Inc.

Kevlar is a registered trademark of E.I. DuPont de Nemours, Inc.

1991 Trek Bike Colors

Model	Colors
8900 Composite Mountain	Composite (carbon) main tubes and bright yellow with black splash on stays and head tube, with purple on yellow and white graphics.
8700 Composite Mountain	Composite (carbon) main tubes and Conch (hot pink) on stays and head tube, with conch on white and bright blue graphics.
8500 Aluminum Mountain	Black with double splash and red on white and purple graphics.
8000 Aluminum Mountain	White and Black splash with Blue on Silver and black graphics.
7000 Aluminum Mountain	Black and Green splash with green and silver on white graphics. Also Sapphire with yellow on white and silver graphics.
6000 Aluminum Mountain	Yellow and black splash with black on white and blue graphics. Also Red with Black on white and silver graphics.
990 Single Track Cro-moly	Black and conch with black on white and silver graphics.
970 Single Track Cro-moly	Black and white splash with white on silver and pink graphics.
950 Single Track Cro-moly	Purple with white on conch and silver graphics. Also white and black splash with red on purple and silver graphics.
930 Single Track Cro-moly	Black with yellow on white and silver graphics. Also white with purple on silver and green graphics.
850 Antelope Cro-moly	Red and black splash with black on white and silver
830 Antelope Cro-moly	Yellow and black splash with black on silver and blue graphics. Also intense blue with white on rose and yellow graphics.
820 Antelope Cro-moly	White and Black splash with Blue on Silver and Black graphics. Also Black with white on yellow and silver graphics.
800 Antelope Cro-moly	Black with green on blue and white graphics. Also Red with white on silver and black graphics.
7900 Multi-Track	Red with white on silver and black graphics.
750 Multi-Track	Black with white on yellow and silver graphics.
720 Multi-Track	Black with conch (pink) on white and blue graphics. Also purple with white on silver and conch graphics.
700 Multi-Track	White with blue on silver and green graphics. Also sapphire blue with yellow on white and silver graphics.
2500 Composite (Road)	Composite and polished aluminum with purple on white and bright green graphics.
2300 Composite (Road)	Composite main tubes and bright green fork and head tube and bright yellow stays with bright green on silver and yellow graphics, also composite main tubes with bright yellow with black splash fork, head tube and stays, and yellow graphics.
2100 Composite (Road)	Composite main tubes and purple with white on silver and purple graphics.
1400 Aluminum (Road)	Champagne with purple on silver and green graphics.
1420 Aluminum (Road)	Glacial (light violet) with red on white and navy graphics.
1200 Aluminum (Road)	Yellow and black splash with black on silver and blue graphics.
1100 Aluminum (Road)	Sapphire with white on silver and red graphics.
1000 Aluminum (Road)	Black with conch (pink) on white and blue graphics.
520 Chro-moly (Road)	Purple with white on Conch (pink) and silver graphics.
400 Chro-moly (Road)	White with red on silver and purple graphics.